## PATENT COOPERATION TREATY AND LEMOSOR

A PAR LAMONDA Intellegand Amounty Group

From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

3 1. okt. 2005

To:

A&P ARNASON Efstaleiti 5 IS-103 Reykjavik ISLANDE POTCERVED With thanks

NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(PCT Rule 71.1)

Date of mailing

(day/month/year)

31.10.2005

Applicant's or agent's file reference

P5096PC01

**IMPORTANT NOTIFICATION** 

International application No. PCT/IS2004/000011

International filing date (day/month/year) 27.08.2004

Priority date (day/month/year)

27.08.2003

Applicant

ORF LIFTAEKNI EHF.

- The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary report on patentability and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

#### 4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary report on patentability. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

The applicant's attention is drawn to Article 33(5), which provides that the criteria of novelty, inventive step and industrial applicability described in Article 33(2) to (4) merely serve the purposes of international preliminary examination and that "any Contracting State may apply additional or different criteria for the purposes of deciding whether, in that State, the claimed inventions is patentable or not" (see also Article 27(5)). Such additional criteria may relate, for example, to exemptions from patentability, requirements for enabling disclosure, clarity and support for the claims.

Name and mailing address of the international preliminary examining authority:

*)* 

European Patent Office - P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk - Pays Bas Tel. +31 70 340 - 2040 Tx: 31 651 epo nl Fax: +31 70 340 - 3016 **Authorized Officer** 

Bröcker-Tazelaar, G

Tel. +31 70 340-2103



### **PATENT COOPERATION TREATY**

### **PCT**

### INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference						
P5096PC01	FOR FURTHER ACTION	HER ACTION See Form PCT/IPEA/416				
International application No. PCT/IS2004/000011	International filing date (day/month/year) 27.08.2004	Priority date (day/month/year) 27.08.2003				
International Patent Classification (IPC) or r						
C12N15/82, C12N15/62, C12N9/64						
Applicant ORF LIFTAEKNI EHF.						
ORP LIFTAERNI ETIF						
This report is the international pro Authority under Article 35 and tra	<ol> <li>This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.</li> </ol>					
2. This REPORT consists of a total	of 10 sheets, including this cover shee	et.				
3. This report is also accompanied I						
	to the International Bureau) a total of 1					
and/or sheets contain	sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).					
☐ sheets which superse beyond the disclosure Supplemental Box.	de earlier sheets, but which this Author in the international application as filed	rity considers contain an amendment that goes I, as indicated in item 4 of Box No. I and the				
b. 🛘 (sent to the International E	Bureau only) a total of (indicate type and	d number of electronic carrier(s)) , containing a				
sequence listing and/or tal	bles related thereto, in computer readal Listing (see Section 802 of the Admini	ble form only, as indicated in the Supplemental				
DOX Relating to Sequence	Elsting (see Section 602 of the Admini	istrative instructions).				
4. This report contains indications re	elating to the following items:					
☐ Box No. I Basis of the op	inion					
☐ Box No. II Priority	•					
☐ Box No. III Non-establishm	nent of opinion with regard to novelty, in	nventive step and industrial applicability				
☐ Box No. IV Lack of unity of		•				
⊠ Box No. V Reasoned state applicability; cit	Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement					
☐ Box No. VI Certain docume						
_	in the international application					
☑ Box No. VIII Certain observa	ations on the international application					
Date of submission of the demand	Date of comple	etion of this report				
Date of Sobilission of the demand	Date of comple	enon or this report				
05.07.2005	31.10.2005					
Name and mailing address of the internation	nal Authorized Offic	Cer				
preliminary examining authority:  European Patent Office - P.B. 5818 Patentlaan 2						
NL-2280 HV Rijswijk - Pays E Tel. +31 70 340 - 2040 Tx: 31	Bas Gurdijan D					
	I 651 600 NI I					

### INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PST/S2004/000011

### IAPS Rec'd PCT/PTO 27 FEB 2006

	Вох	No. I Basis of the report			
1.		n regard to the <b>language</b> , thi d, unless otherwise indicated	s report is based on the international application in the language in which it was under this item.		
			slations from the original language into the following language , ranslation furnished for the purposes of:		
			tional application (under Rule 12.4)		
		☐ international preliminary	examination (under Rules 55.2 and/or 55.3)		
2.	have	With regard to the <b>elements*</b> of the international application, this report is based on <i>(replacement sheets which</i> have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):			
	Desc	cription, Pages			
	1-27	-	as originally filed		
	Seq	uence listings part of the des	cription, Pages		
	1, 2		as originally filed		
	Clai	ims, Numbers			
	2-21	l	as originally filed		
	1		filed with telefax on 05.08.2005		
	Drav	wings, Sheets			
	1/3-3	3/3	as originally filed		
	×	a sequence listing and/or ar	ny related table(s) - see Supplemental Box Relating to Sequence Listing		
3.		The amendments have resu	ulted in the cancellation of:		
		☐ the description, pages☐ the claims, Nos.			
		the drawings, sheets/figs	<b>:</b>		
		☐ the sequence listing (specific any table(s) related to see			
4.			ished as if (some of) the amendments annexed to this report and listed below have been considered to go beyond the disclosure as filed, as indicated in the ).		
		☐ the description, pages			
		☐ the claims, Nos.☐ the drawings, sheets/figs			
		☐ the sequence listing (sp	ecify):		
		☐ any table(s) related to se	equence listing (specify):		
	*	If item 4 applies, so	ome or all of these sheets may be marked "superseded."		

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-21

No: Claims

Inventive step (IS)

Yes: Claims

1-21

No: Claims

Industrial applicability (IA)

Yes: Claims

1-21

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

### Box No. VIII Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate sheet

### INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/IS2004/000011

	Sup	ple	emental Box relating to Sequence Listing			
Co	ontin	ua	tion of Box I, item 2:			
1.	With	With regard to any <b>nucleotide and/or amino acid sequence</b> disclosed in the international application and necessary to the claimed invention, this report has been established on the basis of:				
	a. ty	pe	of material:			
	Σ	3	a sequence listing			
	Е	כ	table(s) related to the sequence listing			
b. format of material:						
	Σ	₫	in written format			
	Σ	₫	in computer readable form			
c. t		ne	of filing/furnishing:			
		ב	contained in the international application as filed			
	C	]	filed together with the international application in computer readable form			
	Σ	3	furnished subsequently to this Authority for the purposes of search and/or examination			
	Σ	₫	received by this Authority as an amendment on10.12.2004			
2.		the ad	addition, in the case that more than one version or copy of a sequence listing and/or table(s) relating ereto has been filed or furnished, the required statements that the information in the subsequent or ditional copies is identical to that in the application as filed or does not go beyond the application as filed, appropriate, were furnished.			

Reference is made to the following documents:

- D1: US-A-6 048 715 (HAYNES ET AL) 11 April 2000 (2000-04-11)
- D2: WO 00/77174 A (CBD TECHNOLOGIES LTD; YISSUM RESEARCH DEVELOPMENT COMPANY OF THE HEBRE) 21 December 2000 (2000-12-21)
- D3: US 2002/164718 A1 (TCHAGA GRIGORIY S ET AL) 7 November 2002 (2002-11-07)
- D4: WO 02/05922 A (MPB COLOGNE GMBH, MOLECULAR PLANT & PROTEIN BIOTECHNOLOGY; PETSCH, DAG) 24 January 2002 (2002-01-24)
- D5: BORASTON ALISDAIR B ET AL: "A family 2a carbohydrate-binding module suitable as an affinity tag for proteins produced in Pichia pastoris" PROTEIN EXPRESSION AND PURIFICATION, vol. 21, no. 3, April 2001 (2001-04), pages 417-423, XP002321711 ISSN: 1046-5928
- D6: BORASTON ALISDAIR B ET AL: "Binding specificity and thermodynamics of a family 9 carbohydrate-binding module from Thermotoga maritima xylanase 10A" BIOCHEMISTRY, vol. 40, no. 21, 29 May 2001 (2001-05-29), pages 6240-6247, XP002321709 ISSN: 0006-2960
- D7: REEVES R A ET AL: "Sequencing and expression of additional xylanase genes from the hyperthermophile Thermotoga maritima FjSS3B.1." APPLIED AND ENVIRONMENTAL MICROBIOLOGY. APR 2000, vol. 66, no. 4, April 2000 (2000-04), pages 1532-1537, XP002321710 ISSN: 0099-2240
- D8: CHHABRA S R ET AL: "Biochemical characterization of Thermotoga maritima endoglucanase Cel74 with and without a carbohydrate binding module (CBM)" FEBS LETTERS, ELSEVIER SCIENCE PUBLISHERS, AMSTERDAM, NL, vol. 531, no. 2, 6 November 2002 (2002-11-06), pages 375-380, XP004391664 ISSN: 0014-5793

The present application relates to a method for the purification of recombinant fusion proteins comprising cellulose binding domain, where the purification method comprises reversible binding of the cellulose binding module under non-denaturing elution conditions and NO binding of the cellulose binding module, or its recombinant fusion protein to insoluble cell-wall plant material.

These fusion constructs for the purification of recombinant proteins produced in transgenic plants offer the unexpected advantage of selectively binding to the recombinant fusion

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/IS2004/000011

protein of interest, while avoiding contamination of binding plant derived cell-wall fragments or other insoluble plant solids.

A specific embodiment is the use of the cellulose binding domain CBM9-2, with seq.1, from the hyperthermophile Thermotoga maritima. The process comprise the use of proteolysis with the bovine enterokinase with seq.2, fused to this CBM9-2 sequence. During the proteolysis, the fusion enterokinase stably binds to the avicel affinity matrix, while the nonbinding recombinant protein, cleaved from its CBM9-2, is isolated. The CBM9-2 fusion enterokinase can later be released from the avicel and reused at a further stage. The CBM9-2 does appear not ti bind to plant derived cell-wall fragments or other insoluble solids from milled seed.

#### Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

### 1. Novelty(Article 33.2 PCT)

D1 relates to methods for separating and/or concentrating polypeptides, like recombinant proteins, by affinity phase separation using a polymer-ligand pair in which the ligand binds to a soluble phase-forming cellulose. The invention is exemplified by the use of a compound comprising as the affinity ligand a cellulose-binding domain from a Cellulomonas fimi cellulase.

A specific protease can be used for enzymatic removal of the compound from the polysaccharides binding moiety which remains bound to the oligosaccharide polymer by incorporating a protease recognition sequence between the compound and the polysaccharides binding moiety. Where cleavage is used, the protein of interest or chemical moiety can be cleaved readily from the polysaccharides binding region by the use of a protease specific for a sequence present between the polysaccharides binding region and the protein of interest leaving the polysaccharides binding peptide bound to the oligosaccharide polymer. Preferably, the protease is provided in a form which will facilitate its removal following cleavage of the polypeptide of interest from the polysaccharides binding peptide PBP. As an example, the cleavage protease can be prepared as a

cleavage enzyme complex, wherein the protease is itself bound to a polysaccharides binding moiety. This allows the proteolytic removal of the PBP from the fusion protein to liberate the protein compound of interest, while the fusion protease is still bound to the polysaccharides. This protease can be recycled by subsequent elution from the solid polysaccharides and reused.

Examples of biological which can be purified in this way include e.g Factor X or any recombinant polypeptide which can be fussed to a polysaccharides binding peptide (PBP) . Examples include culture broth (from prokaryotic or eukaryotic cell or tissue cultures), and extracts from cell lysates including plants , and hence implicitly lysates transgenic expressing recombinant polypeptides .

Generally, the mixture is clarified prior to application to the affinity partitioning system to remove cellular debris .

To define the affinity of the PBD-fusion proteins for different cellulose allomorphs, binding to various cellulosic matrixes can simply be evaluated by SDS-PAGE analysis of bound fractions. This analysis has shown that e.g. PBDN1 binds to amorphous cellulose (PASC) but does not bind to crystalline cellulose (BMCC). The CBDCenA on the other hand has affinity for both cellulosic materials. The fusion proteins can be Immobilized on Avicel cellulose. Affinity chromatography on cellulose was used to purify the polysaccharides binding peptide.

(see the abstract, column 1 paragraphs 2,3, summary of the invention, column 26 line 22 column 27 line 12, column 28 lines 17-28, examples 6 and 8, and fig.7, 14)

However D1 does not disclose that the cellulose binding module is capable of binding reversibly to a polysaccharides matrix and being released from such a matrix by non-denaturing elution conditions and does not bind to insoluble cell-wall plant material. The recombinant fusion proteins do not bind to insoluble plant material.

Due to the fact that the subject-matter of claims 1-21 do comprise the following essential technical elements, being

- that the cellulose binding module is capable of binding reversibly to a polysaccharides matrix and is capable of being released from such a matrix by non-denaturing elution conditions
- that neither cellulose binding module, nor the recombinant fusion protein do not bind to insoluble cell-wall plant material,

its subject matter is new in view of the prior art.

#### 2. Inventive step(Article 33.3 PCT)

D2 discloses the provision of recombinant fusion protein (FP) recombinant protein (RP) and a cellulose binding peptide (CBP) being fused to it, expressed in transgenic plants. The transgenic plant are monocot or dicots .

- a process of expressing a recombinant protein in a plant and isolating the recombinant protein from the plant comprises:
- (a) providing a plant, a plant derived tissue or cultured plant cells expressing fusion protein including an heterologous protein and a cellulose binding peptide being fused to it, separated through a unique amino acid sequence recognizable and digestible by a protease
- (b) homogenizing the plant, plant derived tissue or cultured plant cells such that FP is brought into contact with a plant derived cellulosic matter to effect affinity binding of the fusion protein via the cellulose binding peptide to cellulosic matter and forming a complex and © isolating the FP-CM complex.
- (d) proteolytic digestion of said fusion protein so as to release said recombinant protein It discloses that xylanases can be a source of cellulose binding domains.

Where cleavage is used, the recombinant protein can be cleaved readily from the cellulosic matter by the use of a protease specific for a sequence present there between and the cellulose binding peptide.

Cellulose affinity purification is conducted as described in many prior art patent application

Avicel 200 is used as binding reactant for the purification of protease- cellulose binding peptide fusion protein .

(see the abstract, page 34 line 28 page 37 line 34, page 49 paragraph 4, table 4 figures 1,2 and claims 1-24)

D3 discloses metal ion affinity peptide used in fusion protein for protein purification in immobilized Metal ion affinity chromatography .Fusion proteins comprising an enterokinase proteolytic site are disclosed . When the heterologous fusion protein is bound to the affinity column , the wild type protein is spliced with a bovine enterokinase fusion protein

comprising an affinity tag. The wild type protein is then selectively released from the column, while the fusion enterokinase still binds to it.

a variety of host-vector systems may be utilized to propagate and/or express the subject polynucleotides, including plant cell systems.

The bovine enterokinase shows 81.986% identity (81.986% ungapped) in 705 nt overlap (1-705:2305-3009) with seq.2 of the present application .

(see the abstract, figs 2,4 and page 6 left column paragraph 2)

D4 discloses expanded bed adsorption chromatography for the extraction of a desired native or recombinant protein from a plant in pure form . (see the abstract )

D1 is considered to be the closest prior art .

D1 differs from the subject-matter of claims 1-21 by the lack of

- reversible binding of the cellulose binding module under non-denaturing elution conditions
- binding to insoluble cell-wall plant material of the cellulose binding module , or its recombinant fusion protein .

The problem to be solved is the use of further purification methods using fusion polypeptide comprising a cellulose binding domain.

Due to the industrial importance of this problem ,the person skilled in the art would have had the incentive to solve this problem .

However knowing this problem of purification methods using fusion polypeptide comprising cellulose binding domain and knowing the prior art, the person skilled in the art would NOT have had reasonable expectation of success of using purification methods using a recombinant fusion protein comprising a cellulose binding module, where the purification method comprises

- reversible binding of the cellulose binding module under non-denaturing elution conditions
- NO binding to insoluble cell-wall plant material of the cellulose binding module , or its recombinant fusion protein .

### INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/IS2004/000011

The subject-matter of claims 1-21 is hence inventive.

These fusion constructs for the purification of recombinant proteins produced in transgenic plants offer the unexpected advantage of selectively binding to the recombinant fusion protein of interest, while avoiding contamination of binding plant derived cell-wall fragments or other insoluble plant solids.

### Re Item VIII

### Certain observations on the international application

D1 discloses that different cellulose binding module fusion proteins have different affinities to different cellulose allomorphs,

D8 discloses the biochemical characterization of Thermotoga maritima endoglucanase Ce174 that does not comprise a carbohydrate binding module (CBM). However Tm Cel74 was binding to active towards barley glucan and to a lesser extent to carboxymethyl cellulose (CMC). Tm Cel74 did not contain a carbohydrate binding module (CBM), versions of which have been identified in the amino acid sequences of other family 74 enzymes. (see the abstract)

The term 'substantially' used in claim1 is vague and unclear and leaves the reader in doubt as to its exact technical meaning. In view of D1 and D8, and in view of above mentioned unclarity, the functional generic term 'cellulose binding module CBM ... not binding substantially to insoluble cell-wall plant material 'used in claim 1 is vague and unclear.